LEAD AND ARTICLES THEREOF

XV 78-1

Note

1. In this chapter the following expressions have the meanings hereby assigned to them:

(a) Bar and rods

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

(b) Profiles

Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

(c) Wire

Rolled, extruded or drawn products, in coils, which have a uniform solid cross section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross section exceeds one-tenth of the width.

(d) Plates, sheets, strip and foil

Flat-surfaced products (other than the unwrought products of heading 7801), coiled or not, of solid rectangular (other than square) cross section with or without rounded corners (including "modified rectangles" of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width,
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Heading 7804 applies, <u>inter alia</u>, to plates, sheets, strip and foil with patterns (for example, grooves, ribs, checkers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(e) <u>Tubes and pipes</u>

Hollow products, coiled or not, which have a uniform cross section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross section, which may have corners rounded along their whole length, are also to be considered as tubes and pipes provided the inner and outer cross sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

XV 78-2

Subheading Note

1. In this chapter the expression " $\underline{\text{refined lead}}$ " means:

Metal containing by weight at least 99.9 percent of lead, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE - Other elements

Element	Limiting content percent by weight
Ag Silver	0.02
As Arsenic	0.005
Bi Bismuth	0.05
Ca Calcium	0.002
Cd Cadmium	0.002
Cu Copper	0.08
Fe Iron	0.002
S Sulfur	0.002
Sb Antimony	0.005
Sn Tin	0.005
Zn Zinc	0.002
Other (for example Te), each	h 0.001

Statistical Note

 For the purposes of this chapter, "alloys of lead" are metals in which the lead content is, by weight, less than 99 percent, but not less than any other metallic element.

7801 7801.10.00	00	Unwrought lead: Refined lead	kg	2.5% on the value of the lead content	Free	(A,CA,E,IL,J,10% MX)
7801.91.00	00	Other: Containing by weight antimony as the principal other element lead content		2.5% on the value of the lead content	Free	(A,CA,E,IL,J,10% MX)
7801.99 7801.99.30	00	Other: Lead bullionlead content		2.5% on the value of the lead content	Free	(A,CA,E,IL,J, 10.5% MX)
7801.99.90		Other		2.5% on the value of the lead content	Free	(A,CA,E,IL,J,10% MX)
	30	Alloys of leadlead content	kg v ka	conconc		
	50	Otherlead content	kg v			
7802.00.00	30	Lead waste and scrap Obtained from lead-acid storage batteries lead content	kg v	Free		11.5%
	60	Otherlead content				
7803.00.00	00	Lead bars, rods, profiles and wire	kg	1.2%	Free	(A,CA,E,IL,J,45% MX)
7804		Lead plates, sheets, strip and foil; lead powders and flakes:				THI)
7804.11.00	00	Plates, sheets, strip and foil: Sheets, strip and foil of a thickness (excluding any backing) not exceeding				
		0.2 mm	kg	2.2%	Free	(A,CA,E,IL,J,45% MX)
7804.19.00	00	Other	kg	3%	Free	(A,CA,E,IL,J,45% MX)
7804.20.00	00	Powders and flakes	kg	Free		45%
7805.00.00	00	Lead tubes, pipes and tube or pipe fittings (for example, couplings, elbows, sleeves)	kg	2%	Free	(A,CA,E,IL,J,45% MX)
7806.00.00	00	Other articles of lead	kg	3%	Free	(A,B,CA,E,IL,45% J,MX)